

L Number	Hits	Search Text	DB	Time stamp
-	0	(client with (usage or utilization) with pattern with allocat\$ with resource) and (@ad<20010129 and @prad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 10:27
-	0	(client with (usage or utilization) with history with allocat\$ with resource) and (@ad<20010129 and @prad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 10:28
-	2	(client with (usage or utilization) with allocat\$ with resource) and (@ad<20010129 and @prad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:23
-	4	(load adj balanc\$) same (client with (usage or utiliz\$)) same (allocat\$ near resource) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 14:59
-	49	(hosting adj service) and (load adj balancing) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:05
-	32	(hosting adj service) and (load adj balancing) same (client or user) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:02
-	4	(hosting adj service) same (load adj balancing) same (client or user) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:04
-	210	(workload near manag\$) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:05
-	0	(hosting adj service) and (load adj balancing) and (workload near manag\$) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:05
-	37	(workload near manag\$) and (load adj balancing) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:18
-	12	(workload near manag\$) and (load adj balancing) and ((client or user or customer) with (usage or utilization)) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:10
-	25	((workload near manag\$) and (load adj balancing) and (@prad<20010129 or @ad<20010129)) not ((workload near manag\$) and (load adj balancing) and ((client or user or customer) with (usage or utilization)) and (@prad<20010129 or @ad<20010129))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/03 15:18
-	17	((client or customer or user) with (usage or utilization)) same (allocat\$ with resource) and (@ad<20010129 and @prad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/04 09:45

-	1	((load adj balanc\$) or (resource adj allocat\$)) and ((roof adj avoidance) or (minimized adj variance) or (maximized adj minima) or (largest adj combination)) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:13
-	203	((roof adj avoidance) or (minimized adj variance) or (maximized adj minima) or (largest adj combination)) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:18
-	0	packing same ((roof adj avoidance) or (minimized adj variance) or (maximized adj minima) or (largest adj combination)) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:14
-	18	packing and ((roof adj avoidance) or (minimized adj variance) or (maximized adj minima) or (largest adj combination)) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:22
-	0	((roof adj avoidance) or (minimized adj variance) or (maximized adj minima) or (largest adj combination)) and (@ad<20010124 or @prad<20010124) and 709/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:19
-	0	((roof adj avoidance) or (minimized adj variance) or (maximized adj minima) or (largest adj combination)) and (@ad<20010124 or @prad<20010124) and 718/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:42
-	18	\$packing and ((roof adj avoidance) or (minimized adj variance) or (maximized adj minima) or (largest adj combination)) and (@ad<20010124 or @prad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:22
-	155	718/100.ccls. and (@prad<20010124 and @ad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:43
-	15	718/100.ccls. and (@prad<20010124 and @ad<20010124) and ((resource near allocat\$) or (load near balanc\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 13:45
-	149	709/.ccls. and (@prad<20010124 and @ad<20010124) and ((resource near allocat\$) or (load near balanc\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 16:18
-	5	(multi\$dimensional near pack\$) and (@prad<20010124 and @ad<20010124)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/05 16:19

L Number	Hits	Search Text	DB	Time stamp
7	19	(vector-packing or (vector adj packing) or bin-packing or (bin adj packing)) and ((load adj balanc\$) or (resource near alloc\$)) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 17:47
8	30	((host\$ adj service) or (service adj provider) or (application adj (host\$ or (service adj provider)))) and (resource near alloc\$) and (load adj balanc\$) and (@prad<20010129 or @ad<20010129) and (718/100.ccls. or 709/217-219,226-227,238-239.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 17:56
-	5	shahabuddin-j\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:29
-	5	balaji-k\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:29
-	63	kapoor-s\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:29
-	2	kapoor-sanjiv\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:30
-	2	juneja-sandeep\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:30
-	3	gupta-vishu\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:30
-	3	chrungoo-abhay\$.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:30
-	168	ibm.as. and ((resource near allocat\$) or (load near balanc\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:32
-	10	ibm.as. and ((resource near allocat\$) or (load near balanc\$)) and ((host\$ near service) or (service near provider))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:35
-	1751	(client or customer) near (usage or utilization)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:36
-	12401	resource near alloc\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/06 09:36

-	50304	(host\$ adj service) or (service adj provider) or (application adj (host\$ or (service adj provider)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:38
-	1787	stochastic with model\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:39
-	3	quality adj of adj service	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:39
-	10218	(quality adj of adj service) or qos	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:39
-	1013	decision adj support adj system	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:40
-	11099	load adj balanc\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:40
-	159	vector-packing or (vector adj packing) or bin-packing or (bin adj packing)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:42
-	16	((client or customer) near (usage or utilization)) and (resource near alloc\$) and (load adj balanc\$) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:44
-	129	((host\$ adj service) or (service adj provider) or (application adj (host\$ or (service adj provider)))) and (resource near alloc\$) and (load adj balanc\$) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:45
-	33	(stochastic with model\$) and ((quality adj of adj service) or qos) and (@prad<20010129 or @ad<20010129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/05/06 09:50